


Thank you for looking at the Blue Jay Opener – the leading reach aid that allows you to unlock, open and close windows safely.





There are a few things that we suggest to help you use your Blue Jay Opener:

- 1 Lubricate the hinges on the window – this will make opening the window much easier. At risk of sounding a little like a presenter on Blue Peter – it may be that getting someone to help with the lubrication is safer. The hinges on modern uPVC windows are typically on the top and on the bottom of the window. The securing system is on the side of the window – this can also be lubricated. Our suggested lubricant is a graphite based lubricant but WD-40 will work very well – it just may need reapplying every couple of years or so.
- 2 Have a look at the video on the Blue Jay Openers website to see a quick explanation of the way to use the Blue Jay Opener.

Identifying the parts of the window opener and the window handle



Using the window opener




Preparing the head

Push the top of the tunnel forwards so that the tunnel section will touch the window handle first




Move the window opener so that the tunnel slides over the handle and the beak of the head is above the key hole slot on the handle

Push the beak of the head into the key hole slot on the window handle so that it firmly engages with the slow so that it won't slip away when turning the window opener

Push the window opener so that it pushes the window handle button and with the button pushed in twist the Window opener pole so that the window handle turns. Once the handle has been turned you can push the window open



Inserting the key into the window opener head



To close window slip the closing loop over the handle and pull the window opener towards you. When the window is closed you can move the handle to the closed position

Slip the key into the key slot entrance with the key grip the last part to go in.

When the cut part of the key is in the head twist to cut part so that it comes out of the key slot exit

Grip the cut part of the key that is sticking out of the head and pull it through so that the key grip is by the key slot exit. To make it easier to use you may want to pack behind the key grip with a cocktail stick or two so that the key doesn't try to push back into the head.